

Figure 1: Product Parameters that Influence Perfume Performance in Diluted PW Products




Figure 2: Theoretical Calculations of Fragrance Burst with Dilution




Figure 3: Fragrance Burst Profiles of Different Perfume Molecules in Surfactant Solution (5% sodium laurate solution)

5







Figure 3: Fragrance Burst Profiles of Different Perfume Molecules in Surfactant Solution (5% sodium laurate solution) (Cont'd)

5




Figure 4: Two-component Fragrances in Shower Liquid that Change Note upon Dilution

5





Figure 5: Theoretical Models of Fragrance Burst with Change in Surfactant Concentration

5



A: The concentration of the surfactant (wt/wt).

Figure 6: Experimental Results of Fragrance Burst with Changes in Surfactant Concentration






Figure 7: Theoretical Model of Fragrance Burst with Change in Surfactant CMC




Figure 8: Experimental Results of Fragrance Burst with Change in CMC




Figure 9: Normalized Dilution Curve for Component in a Perfume Mixture





Figure 10: Results of Panel Study of the Single Perfume (γ -methyl-ionone) Systems

Figure 11: Results of Panel Study of the Multi-component Perfume (menthone, tetra-hydrol-linalool, α -ionone, γ -methyl-ionone) Systems

